


# Core PHP EZYPOD Integration

### 1. Add/Register the Card Service

This service will add the card details in the server and returns card token. Based on the card token, sale transaction with initiate to the bank.



#### MOBI\_PREAUTH\_3DSREC\_REQ request params required:

Param	Type	Description
service	string	MOBI_PREAUTH_3DSREC_REQ
cardnum	int	Card Number eg: 4918914107195005
ccv	int	Security Pin eg: 123
exp_mm	int	Expiry Month eg: 07
exp_yy	int	Expiry Year eg: 2019
mobilen	int	Mobile Number eg: 01123456789

**Configuration:**

Add your Sandbox/Live credentials in following params

```
$_SESSION['apiKey'] = '132fe8*****cbd6d4';
$_SESSION['loginID'] = 'Mob****sa';
$_SESSION['paymentMode'] = 'https://demo.mobiversa.com/payment/mobirecservice/jsonservice';
```

**Samples :**

**MOBI\_PREAUTH\_3DSREC\_RES Request:**


```
{"service":"MOBI_PREAUTH_3DSREC_REQ","mobileNo":"01123206469","carddetails":"6A4F507276506756354D497562576A73747052456F6A54393137704F6C55674C7970416D393365632B4F303D"}
```

**MOBI\_PREAUTH\_3DSREC\_RES Response:**

```
{"responseCode":"0000","responseMessage":"SUCCESSFUL","responseDescription":"EZYREC Sale Done","responseData":{"trxId":"181119111151966668080100000000639","amount":"1.00","tid":"66668080","mid":"00066660006666","tips":"0.00","rm":"00000000007","trace":"000639","date":"19-Nov-2018","time":"11:16","approveCode":"000007","cardNo":"XXXX5005","tc":"66668080000639","batchNo":"2","cardHolderName":"","cardType":"visa credit","txnType":"PRE-AUTHORIZATION","cardWalletId":"32eb7246436fe0d1ada12e3683a9caa7"}}
```

**2. Payment process**

Do the sale transaction using the card token for the customer. Server will initiate the sale transaction and send back success or failure response.



**MOBI\_EZYREC\_REQ request params required:**

Param	Type	Description
-------	------	-------------

service	String	MOBI_EZYREC_REQ
cardToken	string	Will get this by card register response the variable name will be: 'cardWalletId'
amount	int	Will get this by card register response the variable name will be: 'amount'
mobileNo	int	Mobile number must be same which gonna be use on card registration

**Samples :**

**MOBI\_EZYREC\_REQ Request:**

```
{"service":"MOBI_EZYREC_REQ","cardToken":"32adb5a93c84d8612819db8dc590e027","amount":"100","mobileNo":"01123206469"}
```

**MOBI\_EZYREC\_REQ response:**

```
{"responseCode":"0000","responseMessage":"SUCCESSFUL","responseDescription":"EZYREC Sale Done","responseData":{"trxId":"181119111134866668080200000000646","amount":"1.00","tid":"66668080","mid":"000666600006666","tips":"0.00","rm":"00000000014","trace":"000646","date":"19-Nov-2018","time":"11:24","approveCode":"000014","cardNo":"XXXX5005","tc":"66668080000646","batchNo":"2","cardHolderName":"","cardType":"visa credit","txnType":"EZYREC SALE"}}
```

**3. Wallet History**

Show Wallet History based on the mobile number.

**WALLET\_HISTORY request params required:**

Params	Type	Description
service	string	WALLET_HISTORY
mobileNo	int	Any mobile number to track the history

**Samples :**

**WALLET\_HISTORY Request:**

```
{"service":"WALLET_HISTORY","mobileNo":"01123206469"}
```

**WALLET\_HISTORY response:**

```
{"responseCode":"0000","responseMessage":"SUCCESSFUL","responseDescription":"Card Wallet
```

Data

```
Success", "responseData": {"tid": "66668080", "mid": "000666600006666", "cardWalletList": [{"maskedPan": "491891ffffff5005", "expDate": "1907", "walletId": "45c6e1ad5b2feacec1e70e01e370731f", "cardScheme": "visa", "cardType": "credit", "cardBrand": "Traditional"}]}}
```

#### **4. Remove the Card**

Send the card token and mobile number to server. Server will deactivate the Card for the token used.

**MOBI\_DE\_ACTIVE request params required:**

Param	Type	Description
service	string	MOBI_DE_ACTIVE
cardToken	string	Cardtoken can get by Wallet History response
mobileNo	int	Mobile number can get by Wallet History

**Samples :**

**MOBI\_DE\_ACTIVE Request:**

```
{"service": "MOBI_DE_ACTIVE", "cardToken": "32adb5a93c84d8612819db8dc590e027", "mobileNo": "01123206469"}
```

**MOBI\_DE\_ACTIVE response:**

```
{"responseCode": "0000", "responseMessage": "SUCCESSFUL", "responseDescription": "De-Activated Successfully", "responseData": {"cardToken": "45c6e1ad5b2feacec1e70e01e370731f", "cardNo": "491891ffffff5005", "cardType": "visa", "cardStatus": "DELETED"}}
```